

### SAFE HOME

**CITY OF CHARLOTTE** 

**NEIGHBORHOOD & BUSINESS SERVICES** 

### **Invitation to Bid**

HNS 21- | 7

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

### **Documents included in Package:**

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

### **Bid Walk & Bid Opening:**

Project Address:	SAFEHOME CHARLOTTE
1211 Milan R	9.
Bid Walk: 12 14 20	6 10.30 1/ W
Bid Walk: ) 2 / 14 / 2 0	6 10,20 AM
Bid Opening: 12 \21\ 20	e 2:00 12M
Client Name: Diana Sanders	Contact Number: 7017719214
Project Manager: C. Hitsman	Contact Number: 704 622 1685
Bid Walk and Bidding Instructions:	

All bid walks are mandatory.

If you are going to be late the policy is the following:

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at \_\_\_\_\_(cell # \_704 622 1685\_\_\_\_\_).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\Invitation to bid WARREN





### SAFE HOME

### **CITY OF CHARLOTTE**

NEIGHBORHOOD & BUSINESS SERVICES

Company Acknowledgement:
The undersigned, having become thoroughly familiar with the terms, conditions, limitations, and provisions of the housing improvement work to be performed at
Dollars (\$)_
Written total
Specs Dated: Number of Pages:
Addenda # 1 Dated: Number of Pages:
Addenda # 2 Dated: Number of Pages:
Project Schedule: Minimum Start Date -
Completion Deadline:
Please Print and Sign:
Company Name/Firm:
Authorized Representative Name:
Signature: Date:



SAFE HOME
CITY OF CHARLOTTE
NEIGHBORHOOD & BUSINESS SERVICES

### **Requirements For Bidders**

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 28202
PH: (704)
Fax: (704)



SAFE HOME
CITY OF CHARLOTTE

**NEIGHBORHOOD & BUSINESS SERVICES** 

### **Instructions to Bidders**

### **Explanations to Bidders**

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

### **Preparation of Bids**

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

### **Submittal of Bids**

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\Invitation to bid WARREN



# SAFE HOME CITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
  - o Scope of Work
  - Addenda Acknowledgement
  - o Itemized Work Sheet
  - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

Prepared By:

City of Charlotte Housing & Neighborhood Services 600 E. Trade Street Charlotte, NC 28202 (704) 336-7600

Property Details	Pro	pertv	Det	ails
------------------	-----	-------	-----	------

Address:

1211 Milan Rd

Charlotte, NC

Structure Type:

Single Unit

Square Feet:

1000

Year Built:

1975

Property Value: Tax Parcel:

39200 03931803

Census Tract:

44

Property Zone:

Council District 2

### Repairs

<u>Description</u> <u>Floor</u> <u>Room</u> <u>Exterior</u>

Owner:

Owner Phone: Program(s):

Diana J Sanders

704: 771-9214

Healthy Homes

SHFY2020

### All Contractor's Project Requirements

The contractor is responsible for project requirements, including but limited to:

COVID-19 Process

Obtaining all permits required. Said permits shall include all items in this scope of work.

Provide temporary toilet facilities from job start until the completion of work.

Provide AS MANY roll-off dumpsters as needed without damaging the site. Collect construction debris using dust control methods. Remove dumpster and repair any evidence of the dumpsters use. Contractor may haul debris away daily using dump trailers.

Asbestos Abatement Scope  See attached scope. An allowance to complete the scope of work attached.  * Certified Asbestos Abatement Contractor mandatory  * Clearance will be paid by The City of Charlotte		
* Certified Asbestos Abatement Contractor mandatory		
Global arrow will be paid by The Oity of Orlandite		
Bid Cost:	_x=	
Base	Quantity	Total Cost

### Vinyl Soffit & Aluminum Fascia

Install vented vinyl soffit to roof edges, ensuring existing soffit is opened up to allow attic ventilation. Install solid vinyl soffit to all gable overhangs. Wrap all fascia and wood trim with PVC coated aluminum coil stock.

	Bid Cost:	)	(	<b>-</b>
		Base	Quantity	Total Cost
Vinyl Siding	readed to a trade order for any discontinual their probability are set of the 162-1	v a. rougaran		A CONTROL PROPERTY OF THE STATE
FOR WOOD SIDED AREAS ONLY  1. Replace all deteriorated exterior WOOD building comclapboard siding including corners, door and window trir texture with 50 year warranty.  2. Install vinyl Gable Vents with screens				
Include coil metal stock around windows.				
	Bid Cost:	2	<b>(</b>	=
	_	Base	Quantity	Total Cost
Aluminum Storm Door			to a final action of the contract	
FRONT DOOR Install an aluminum combination storm and screen door	. Complete with self c	loser and locki	ng hardware.	
	Bid Cost:	3	<b>(</b>	
	Bid Cost:	Base	Quantity	= Total Cost
Prehung Metal Door Entrance	Bid Cost:			=Total Cost
Prehung Metal Door Entrance  Kitchen door  Remove existing door, frame and threshold. Install new dead bolt and lever handled door hardware keyed alike.  Apply primer and topcoat. This installation to include repfloor joists and sill.	Energy Star rated pre Install wide peep sigl	Base -hung exterior nt. New casing	Quantity  door. Insulate car and shoe molding	vity. Install mortised g will match existing.
Kitchen door Remove existing door, frame and threshold. Install new dead bolt and lever handled door hardware keyed alike. Apply primer and topcoat. This installation to include rep	Energy Star rated pre Install wide peep sigl airing any damaged l	Base -hung exterior nt. New casing neader, door fr	Quantity  door. Insulate car and shoe molding	vity. Install mortised g will match existing.
Kitchen door Remove existing door, frame and threshold. Install new dead bolt and lever handled door hardware keyed alike. Apply primer and topcoat. This installation to include rep	Energy Star rated pre Install wide peep sigl	Base -hung exterior nt. New casing neader, door fr	Quantity door. Insulate car and shoe molding aming, to include	vity. Install mortised g will match existing.
Kitchen door Remove existing door, frame and threshold. Install new dead bolt and lever handled door hardware keyed alike. Apply primer and topcoat. This installation to include rep	Energy Star rated pre Install wide peep sigl airing any damaged l	Base -hung exterior nt. New casing neader, door fr	Quantity door. Insulate car and shoe molding aming, to include	vity. Install mortised g will match existing. wall framing, sub-floor,
Kitchen door Remove existing door, frame and threshold. Install new dead bolt and lever handled door hardware keyed alike. Apply primer and topcoat. This installation to include repfloor joists and sill.	Energy Star rated pre Install wide peep sigle airing any damaged le Bid Cost: re or damaged wiring,	Base -hung exterior nt. New casing neader, door fr	Quantity  door. Insulate car and shoe molding aming, to include  Quantity	vity. Install mortised g will match existing. wall framing, sub-floor, =
Kitchen door Remove existing door, frame and threshold. Install new dead bolt and lever handled door hardware keyed alike. Apply primer and topcoat. This installation to include repfloor joists and sill.  Troubleshoot and Repair Electrical Circuit Loose/ missing breakers in Utility Room Panel Box Troubleshoot malfunctioning circuit, replace any defective	Energy Star rated pre Install wide peep sigle airing any damaged le Bid Cost: re or damaged wiring,	Base -hung exterior nt. New casing neader, door fr Base devices, and	Quantity  door. Insulate car and shoe molding aming, to include  Quantity	vity. Install mortised g will match existing. wall framing, sub-floor, =

### Termite Damage - Kitchen AREA

Damage - Exterior Kitchen wall at wall C & D Extends to interior studed wall( s ), drywall, floor, rafters. Replace all termite damaged framing & finishings. Paint.

This includes all tear out and replacement of all finish materials and mechanicals, electrical and plumbing.

Replace inoperable Living Room Receptacles and Plate Replace inoperable Living Room receptacles and cover plate. Use code appropriate devices.    Bid Cost:	See Asbestos Scope of Work				
Replace inoperable Living Room Receptacles and Plate Replace inoperable Living Room receptacles and cover plate. Use code appropriate devices.    Bid Cost:		Bid Cost:		_X	Prod. Prod.
Replace inoperable Living Room Receptacles and Plate Replace inoperable Living Room receptacles and cover plate. Use code appropriate devices.    Bid Cost:		,	Base	Quantity	Total Cost
Bid Cost: X = Base Quantity Total Cost    Base   Quantity   Total Cost					
Remove existing water heater and all obsolete or deteriorated flue piping and gas line and dispose of properly.  Install an insulated 40 gallon, glass lined, high recovery gas water heater with a 10 year warranty and an Energy Factor of .61 or greater.  Installation includes PRV valve and extension, drain pan with drain to the exterior, expansion tank, and new gas line and flue piping through the roof as necessary to meet the requirements of the Construction Specifications and Code.    Bid Cost:	Replace inoperable Living Room receptacles and cov	ver plate. Use code appro	priate devic	es.	
Remove existing water heater and all obsolete or deteriorated flue piping and gas line and dispose of properly.  Install an insulated 40 gallon, glass lined, high recovery gas water heater with a 10 year warranty and an Energy Factor of .61 or greater.  Installation includes PRV valve and extension, drain pan with drain to the exterior, expansion tank, and new gas line and flue piping through the roof as necessary to meet the requirements of the Construction Specifications and Code.  Bid Cost: X = Base Quantity Total Cost  Gas Furnace Replacement  Install a gas fired, forced air furnace with minimum AFUE rating of 90 or higher to existing plenum and gas line with electronic gnition. Include programmable thermostat, flue pipe and shut- off valve. Size furnace per heat loss analysis. Contractor to furnish Manual J calculations. Dispose of old furnace appropriately.  Bid Cost: X = Base Quantity Total Cost  Air Conditioner INSTALL  Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off . Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost: X =		Bid Cost:		x	
Remove existing water heater Remove existing water heater and all obsolete or deteriorated flue piping and gas line and dispose of property.  Install an insulated 40 gallon, glass lined, high recovery gas water heater with a 10 year warranty and an Energy Factor of .61 or greater.  Installation includes PRV valve and extension, drain pan with drain to the exterior, expansion tank, and new gas line and flue piping through the roof as necessary to meet the requirements of the Construction Specifications and Code.    Bid Cost:				•	
Install an insulated 40 gallon, glass lined, high recovery gas water heater with a 10 year warranty and an Energy Factor of .61 or greater.  Installation includes PRV valve and extension, drain pan with drain to the exterior, expansion tank, and new gas line and flue piping through the roof as necessary to meet the requirements of the Construction Specifications and Code.    Bid Cost:	.0 Gallon Gas Water Heater	remotive to the condition reaction of the s	n en	THE STREET	Tradition to Secretary High Control Secretary
reater.  Installation includes PRV valve and extension, drain pan with drain to the exterior, expansion tank, and new gas line and flue piping through the roof as necessary to meet the requirements of the Construction Specifications and Code.    Bid Cost:	Remove existing water heater and all obsolete or det	eriorated flue piping and	gas line and	dispose of prope	erly.
Bid Cost: X = Base Quantity Total Cost  Gas Furnace Replacement Install a gas fired, forced air furnace with minimum AFUE rating of 90 or higher to existing plenum and gas line with electronic gnition. Include programmable thermostat, flue pipe and shut- off valve. Size furnace per heat loss analysis. Contractor to furnish Manual J calculations. Dispose of old furnace appropriately.  Bid Cost: X = Base Quantity Total Cost  Air Conditioner INSTALL Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off . Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost: X = E		ery gas water heater with	a 10 year w	arranty and an E	nergy Factor of .61 or
Base Quantity Total Cost  Gas Furnace Replacement  Install a gas fired, forced air furnace with minimum AFUE rating of 90 or higher to existing plenum and gas line with electronic gnition. Include programmable thermostat, flue pipe and shut- off valve. Size furnace per heat loss analysis. Contractor to furnish Manual J calculations. Dispose of old furnace appropriately.  Bid Cost: X =  Base Quantity Total Cost  Air Conditioner INSTALL  Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off . Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost: X =  Bid Cost: X =	nstallation includes PRV valve and extension, drain	pan with drain to the exte	rior. expans	ion tank, and nev	v gas line and flue piping
Gas Furnace Replacement Install a gas fired, forced air furnace with minimum AFUE rating of 90 or higher to existing plenum and gas line with electronic gnition. Include programmable thermostat, flue pipe and shut- off valve. Size furnace per heat loss analysis. Contractor to furnish Manual J calculations. Dispose of old furnace appropriately.  Bid Cost: X = Base Quantity Total Cost  Air Conditioner INSTALL  Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off . Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost: X = E	hrough the roof as necessary to meet the requireme	nts of the Construction S	pecifications	and Code.	
Install a gas fired, forced air furnace with minimum AFUE rating of 90 or higher to existing plenum and gas line with electronic gnition. Include programmable thermostat, flue pipe and shut- off valve. Size furnace per heat loss analysis. Contractor to furnish Manual J calculations. Dispose of old furnace appropriately.    Bid Cost:	hrough the roof as necessary to meet the requireme	nts of the Construction S	oecifications	and Code.	
Install a gas fired, forced air furnace with minimum AFUE rating of 90 or higher to existing plenum and gas line with electronic gnition. Include programmable thermostat, flue pipe and shut- off valve. Size furnace per heat loss analysis. Contractor to furnish Manual J calculations. Dispose of old furnace appropriately.    Bid Cost:		nts of the Construction S	oecifications	and Code.  X  Quantity	= Total Cost
Air Conditioner INSTALL  Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off . Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost:X=		nts of the Construction S	oecifications	and Code.  X  Quantity	= Total Cost
Air Conditioner INSTALL  Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off . Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost:X=	Gas Furnace Replacement Install a gas fired, forced air furnace with minimum A Ignition. Include programmable thermostat, flue pipe	Bid Cost: FUE rating of 90 or highe and shut- off valve. Size	Base r to existing	And Code.  X  Quantity  plenum and gas	= Total Cost
Air Conditioner INSTALL  Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off. Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost:X=	Gas Furnace Replacement Install a gas fired, forced air furnace with minimum A Ignition. Include programmable thermostat, flue pipe	Bid Cost:  Bid Cost:  FUE rating of 90 or highe and shut- off valve. Size oriately.	Base r to existing furnace per	And Code.  X  Quantity  plenum and gas	= Total Cost
Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Install Electrical Code appropriate shut-off . Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.  Bid Cost:X=	Gas Furnace Replacement nstall a gas fired, forced air furnace with minimum A gnition. Include programmable thermostat, flue pipe	Bid Cost:  Bid Cost:  FUE rating of 90 or highe and shut- off valve. Size oriately.	Base r to existing furnace per	X Quantity plenum and gas heat loss analys	Total Cost  Siline with electronic is. Contractor to furnish
	Gas Furnace Replacement Install a gas fired, forced air furnace with minimum A ignition. Include programmable thermostat, flue pipe Manual J calculations. Dispose of old furnace approp	Bid Cost:  Bid Cost:  FUE rating of 90 or highe and shut- off valve. Size oriately.	Base r to existing furnace per	X Quantity plenum and gas heat loss analys	Total Cost  Siline with electronic is. Contractor to furnish
	Gas Furnace Replacement  Install a gas fired, forced air furnace with minimum A ignition. Include programmable thermostat, flue pipe Manual J calculations. Dispose of old furnace appropriate Air Conditioner INSTALL  Install new Energy Star Rated 14 SEER or higher air recommendations. Install Electrical Code appropriate	Bid Cost:  FUE rating of 90 or highe and shut- off valve. Size oriately.  Bid Cost:  conditioner compatible we shut-off. Support unit of	Base r to existing furnace per	And Code.  X  Quantity  plenum and gas heat loss analys  X  Quantity  or unit per the materiete pad with a	Total Cost  Siline with electronic is. Contractor to furnish  Total Cost

### Demo and Rebuild Bathroom - Complete

Completely demo the existing bathroom. Remove all plumbing and electrical fixtures, doors and trim, and ceiling, wall, and floor coverings to the framing. Repair or replace all framing as necessary to meet the requirements of the Construction Specifications and the Building Code.

- See Asbestos Scope of Work.

Rebuild the bathroom	i complete	with all	the	following	features
----------------------	------------	----------	-----	-----------	----------

- \*floor, wall, and ceiling insulation at locations required by the Construction Specifications
- \*ceiling mounted fan vented through the roof
- \*switched light fixture over the vanity
- \*GFCI outlet per Code
- \*4 piece fiberglass tub and surround
- \*drywall and finish walls and ceiling
- \*25 yr vinyl plank flooring over 1/4" underlayment
- \*prehung six panel door and hardware
- \*baseboard and shoe mold at standard locations
- \*1.6 gpf commode~ 17" high
- \*24" vanity with cultured marble top and single handle faucet
- \*3 piece bath hardware set (towel bar, paper holder, and towel ring)
- \*mirror over vanity
- \*walls and ceiling painted semi-gloss per Construction
- \*air-grill

Specifications.

All materials and construction methods shall meet the requirements of the relevant Construction Specifications and the NC Codes.

	Bid Cost:		<=	
		Base	Quantity	Total Cost
Install Handrail - Front Steps	Linguage (2007) Employees and the first of discountries and	C P DE LA . VOORA . Street Allient	recurs de menuelle vielle value (vol. Mariaba)	va.em 200.1 * Palar value ( )
Install Code approved handrails at front steps. Any disturbed ground will be improved.				
	Bid Cost:		Κ=	
		Base	Quantity	Total Cost
	NAMES INCOMES OF SECULO SAME AND SECULORS AND SECULORS AS A SECULOR OF SECULORS AS A SECULOR OF SECULORS AS A SECULOR OF		<u>-</u>	Language and the Barthanian and Park
Exterminate Termites		r a menanak a wasan saka a sake mada s	Capaciting and activities of the state of the second section of the section	nsed and provide a
Exterminate Termites  Exterminate for termites. Drill and patch foundation ar	nd pavement where nece ranty for the homeowne	essary. Extern	inator must be lice	nsed and provide a
Exterminate Termites  Exterminate for termites. Drill and patch foundation ar year guarantee with an optional yearly renewable war	nd pavement where nece ranty for the homeowner Bid Cost:	essary. Extern	ninator must be lice  X  Quantity	Total Cost
Exterminate Termites  Exterminate for termites. Drill and patch foundation ar year guarantee with an optional yearly renewable war	nd pavement where nece ranty for the homeowner Bid Cost:	essary. Extern	ninator must be lice	Total Cost
Exterminate Termites  Exterminate for termites. Drill and patch foundation ar year guarantee with an optional yearly renewable war	nd pavement where nece ranty for the homeowner Bid Cost:	essary. Exterm	ninator must be lice	Total Cost
Exterminate Termites  Exterminate for termites. Drill and patch foundation ar year guarantee with an optional yearly renewable war.  Attic Insulation Increase to R-38  Increase attic insulation to R-38, contractor to attach years.	nd pavement where nece ranty for the homeowner Bid Cost:	Base ic access, eas	ninator must be lice	Total Cost

### Smoke Detector Hard Wired

Install UL approved, interconnected, ceiling mounted smoke and heat detectors permanently wired into a receptacle boxes with battery backups in bedrooms and outside of sleeping areas.

	Bid Cost:		х	<u>}</u>
		Base	Quantity	Total Cost
Combination CO / Smoke Detector Hard Wired	particular distribution of the Administration of the Administratio	orthodox 1973 Ethellion (1881) CT E 2 1 1		11. 10.11. 2.24. 30.11.
Install a hard wired combination carbon monoxide and smoke	detector with ba	attery back up		
	Bid Cost:		Х	= -
		Base	Quantity	Total Cost
Dryer Vent	regues Constant in de Sandran de Maria I.	en novembra (n. 1991) de la compa	par mag naggaga (abbasa pililak sama) yan di Sasti (190	And the Control of the Property of State of the State of
Install 4" rigid aluminum vent tubing from the specified dryer lo and NO screening. Fasteners shall not protrude into the interior aluminum foil tape, not duct tape. Secure duct and hood to	ior of the exhau	vall mounted oust duct. Seal	dryer vent hood w all seams in the	ith a back flow preventer system with duct mastic
	Bid Cost:		_X	
		Base	Quantity	Total Cost
Resilient Flooring Kitchen	ALGERTATION AND A CONTRACTOR OF THE	ere teresent dura a microsof	ng ng ng ng ng gamang at a - a sad maning na ng Sadii at na	
Kitchen Install 25 year warrantied resilient floor covering peinterlocking planks and be waterproof. Include transitions and installation.	r manufacturer painted or stai	's specificatio ned wood qua	ns. Flooring mate arter-round at all p	erial is to be vinyl perimeters to complete
	Bid Cost: _		Х	Enter Section 1
		Base	Quantity	Total Cost
Double Bowl Sink Complete				
Install a 18 gauge 33" $\times$ 22" $\times$ 8" double bowl, stainless steel, stated at 2.0 GPM or less, with a 15 year drip- free warranty, F on all supply & drain lines. No copper compression fittings.	self rimming kit P-trap, supply lii	chen sink incl nes, full port b	uding a single hai eall type shut-off v	ndle metal body faucet, alves & escutcheon plates
	Bid Cost: _		X	
		Base	Quantity	Total Cost
Counter Tops Replace	222. 200100 (21 <b>2</b> 00)		my or party at time to reserve a second a first the	
Screw to base cabinet a square edged plastic laminate counter adjoining walls with low VOC caulking to match wall color. Over	er top. Provide vner's choice o	end-caps and f in-stock colo	d cutout for sink. r and texture.	Caulk counter top to
	Bid Cost: _		_X	
		Base	Quantity	Total Cost
the stage of the s			garanian gagaran ne ngorin (d. 1. 1. 1.	Company of the transformation of the contract to the contract of the contract

### Certification

Contractor Name:	Total Cost:
Signature:	Date:

ASBESTOS	ABATEMENT
----------	-----------

SCOPE OF WORK

& INSTRUCTIONS TO BIDDERS Address

N. Carolina Certified Asbestos Contractor Required for Abatement

Complete the following scope of work:

Work to be performed by a Licensed N. Carolina Asbestos Abatement Contractor

Number Cost Per unit COST Method Item# Feature N. Carolina Abate: Permit Required. Certified Asbestos Contractor to remove and properly dispose of the approximately 35 sq ft of asbestos containining Green and Beige Vinyl flooring prior to renovation or demolition activites ASBESTOS - BATH : Green & Beige Vinyl that may impact the material. 1 Flooring (Layer 2) Abate: Permit Required. N. Carolina Certified Asbestos Contractor to remove and properly dispose of the approximately 240 sq ft of asbestos containining Orange vinyl flooring ( Layer 3) prior to renovation or demolition ASBESTOS - KITCHEN : Orange Vinyl activites that may impact the material. 2 Flooring (Layer 3) N. Carolina Abate: Permit Required. Certified Asbestos Contractor to remove and properly dispose of the approximately 275 sq ft of white spray on ceiling texture on the Kitchen & ASBESTOS - KITCHEN AND BATH : White bath ceiling 3 spray on ceiling texture Abate: Permit Required. N. Carolina Certified Asbestos Contractor to remove and properly dispose of the Sheetrock and joint compound to be disturbed during bathroom demolition and any other areas to be disturbed during the renovation ASBESTOS - Sheetrock & Joint Compound Contractor to use Roy Consulting Group to provide Asbestos Clearance testing. City of Charlotte will pay for the testing. 5 Clearance required

total

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Roy Consulting Group if an additional form is needed. Phone 704-968 4111 Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.
  - In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Jim Roy to conduct inspections prior to repainting or other putback and after vinyl siding installation.

Windows being placed in a bathroom need to be tempered glass.

Acknowledgement of Addenda (if any):

Addendum#	
Tracerouning	Date
The undersigned contractor agrees to perform the scope of work for the indicated	j

fee in accordance with applicable regulations and the project manual. The undersigned also certifies that the work will be completed within 60 days of award.

Signature of authorized contractor representative

Contractor Submitting Bid:


START DATE

COMPLETION DATE

# ROY CONSULTING GROUP CORPORATION Providing integrated environmental and geotechnical solutions

1211 Milan Road East

Charlotte, NC 28216



egend

Window

= Door= Soil Sample Location

NOT TO SCALE